Lesson activity: GCSE to A-level progression (Chemistry)

# Chelmsford County High School Chemistry department Bridging work

Read through and complete all the exercises

The activities are not a test. Try the activities first and see what you remember and then use textbooks or other resources to answer the questions.

There is no need to complete this week by the first lesson of term. After the first fortnight has passed, we will provide you with access to the mark scheme — you will need to go through and mark the work you have completed and make corrections.

You will then share your corrected work with your chemistry teacher.

1,2thr
3-8
10-12
14
15
16
17-19
20-21
23
23
24
25
26
27
27
28

#### Aim of the booklet

This booklet will support your transition from GCSE science to A-level. At first, you may find the jump in demand a little daunting, but if you follow the tips and advice in this guide, you'll soon adapt. As you follow the course you will see how the skills and content you learnt at GCSE will be developed and your knowledge and understanding of all these elements will progress.

We have organised the guide into two sections:

- 1. Understanding the specification and the assessments
- Transition activities to bridge the move from GCSE to the start of the A-level course.

# Understanding the specification and the assessments

Specification at a glance

The specification is a useful reference document for you. You can download a copy from our website <u>here.</u>

The most relevant areas of the specification for students are the following:

Section 3: Subject content

Section 6: Maths requirements and examples

Section 7: Practical assessment

In Chemistry the subject content is split into three broad areas:

- 3.1 Physical chemistry
- 3.2 Inorganic chemistry
- 3.3 Organic chemistry

There are several sections within each of these broad areas. The content of each of these three broad areas is then split between AS and A-level.

The split of content between AS and A-level is shown in the tables below.

# Content common to AS and A-level

3.1 Playsical chemistary	3.2 linongamic chamistry	3.3 Organic chemistry
3.1.1 Atomic structure	3.2.1 Periodicity	3.3.1 Introduction to organic chemistry
3.1.2 Amount of substance	3.2.2 Group 2, the alkaline earth metals	3.3.2 Alkanes
3.1.3 Bonding	3.2.3 Group 7(17), the halogens	3.3.3 Halogenoalkanes
3.1.4 Energetics		3.3.4 Alkenes
3.1.5 Kinetics		3.3.5 Alcohols
3.1.6 Chemical equilibrium, Le Chatelier's principle and K <sub>c</sub>		3.3.6 Organic analysis
3.1.7 Oxidation, reduction and redox equations		

© 2020 AQA 4 of 28

# A-level only content

3 a Physical chamistry	3,2 (15)वार्यहर्वात्राहः वीत्रावातात्रात्र्यम्	3.,3 (मिल्लाकोट लोक्लाकोर्सक्षर
3.1.8 Thermodynamics	3.2.4 Properties of Period 3 elements and their oxides	3.3.7 Optical isomerism
3.1.9 Rates of equations	3.2.5 Transition metals	3.3.8 Aldehydes and ketones
3.1.10 Equilibrium constant K <sub>p</sub> for homogeneous systems	3.2.6 Reactions of ions in aqueous solution	3.3.9 Carboxylic acids and derivatives
3.1.11 Electrode potentials and electrochemical cells		3.3.10 Aromatic chemistry
3.1.12 Acids and bases		3.3.11 Amines
		3.3.12 Polymers
		3.3.13 Amino acids, proteins and DNA
		3.3.14 Organic synthesis
		3.3.15 Nuclear magnetic resonance spectroscopy
		3.3.16 Chromatography

Each section of the content begins with an overview, which describes the broader context and encourages an understanding of the place each section has within the subject. This overview will not be directly assessed.

The specification is presented in a two-column format:

- the left-hand column contains the specification content that you must cover, and that can be assessed in the written papers.
- the right-hand column exemplifies the opportunities for maths and practical skills to be developed throughout the course. These skills can be assessed through any of the content on the written papers, not necessarily in the topics we have signposted.

© 2020 AQA 5 of 28

AS

The assessment for the AS consists of two exams, which you will take at the end of the course.

#### Region 1

#### What's assessed

- Relevant Physical chemistry topics (sections 3.1.1 to 3.1.4, 3.1.6 and 3.1.7)
- Inorganic chemistry (Section 3.2.1 to 3.2.3)
- Relevant practical skills

#### How it's assessed

- · Written exam: 1 hour 30 mins
- 80 marks
- 50% of the AS

#### Questions

- 65 marks of short and long answer questions
- 15 marks of multiple choice questions

#### -

# What's assessed

Page 2

- Relevant Physical chemistry topics (sections 3.1.2 to 3.1.6)
- Organic chemistry (Section 3.3.1 to 3.3.6)
- Relevant practical skills

#### How it's assessed

- Written exam; 1 hour 30 mins
- 80 marks
- 50% of the AS

#### Questions

- 65 marks of short and long answer questions
- 15 marks of multiple choice questions

#### A-level

The assessment for the A-level consists of three exams, which you will take at the end of the course.

#### Person in

#### What's assessed

- Relevant Physical chemistry topics (sections 3.1.1 to 3.1.4, 3.1.6 to 3.1.8 and 3.1.10 to 3.1.12)
- Inorganic chemistry (Section 3.2)
- Relevant practical skills

#### How it's assessed

- · Written exam: 2 hours
- 105 marks
- 35% of the A-level

#### Questions

 105 marks of long and short answer questions

#### 13/3/5/21 3

# What's assessed

- Relevant Physical chemistry topics (sections 3.1.2 to 3.1.6 and 3.1.9)
- Organic chemistry (Section 3.3)
- · Relevant practical skills

#### How it's assessed

- Written exam: 2 hours
- 105 marks
- 35% of the A-level

#### Questions

 105 marks of short and long answer questions.

# Proporal S

#### What's assessed

- Any content
- Any practical skills

#### How it's assessed

- Written exam: 2 hours
- 90 marks
- 30% of the A-level

#### Questions

- 40 marks of questions on practical techniques and data analysis
- 20 marks of questions testing across the specification
- 30 marks of multiple choice questions

#### Assessment objectives

As you know from GCSE, we have to write exam questions that address the Assessment objectives (AOs). It is important you understand what these AOs are, so you are well prepared. In Chemistry there are three AOs.

- AO1: Demonstrate knowledge and understanding of scientific ideas, processes, techniques, and procedures (A-level about 30% of the marks).
- AO2: Apply knowledge and understanding of scientific ideas, processes, techniques, and procedures:
  - · in a theoretical context
  - in a practical context
  - · when handling qualitative data
  - · when handling quantitative data

(A-level about 45% of the marks).

- AO3: Analyse, interpret, and evaluate scientific information, ideas, and evidence, including in relation to:
  - · make judgements and reach conclusions
  - · develop and refine practical design and procedures

(A-level about 25% of the marks).

#### Other assessment criteria

At least 20% of the marks for AS and A-level Chemistry will assess mathematical skills, which will be equivalent to Level 2 (Higher Tier GCSE Mathematics) or above.

At least 15% of the overall assessment of AS and A-level Chemistry will assess knowledge, skills and understanding in relation to practical work.

#### Command words

Command words are used in questions to tell you what is required when answering the question. You can find definitions of the command words used in chemistry assessments on the <u>website</u>. They are very similar to the command words used at GCSE.

#### Subject-specific vocabulary

You can find a list of definitions of key working scientifically terms used in our AS and A-level specification here.

You will become familiar with, and gain understanding of, these terms as you work through the course.

# Transition activities

The following activities cover some of the key skills from GCSE science that will be relevant at AS and A-level. They include the vocabulary used when working scientifically and some maths and practical skills.

You can do these activities independently or in class. The booklet has been produced so you can complete it electronically or print it out and do the activities on paper.

The activities are **not** a **test**. Try the activities first and see what you remember and then use textbooks or other resources to answer the questions. **Don't** just go to Google for the answers, as actively engaging with your notes and resources from GCSE will make this learning experience much more worthwhile.

The answer booklet guides you through each answer. It is not set out like an exam mark scheme but is to help you get the most out of the activities.

Understanding and using scientific vocabulary

Understanding and applying the correct terms are key for practical science. Much of the vocabulary you have used at GCSE for practical work will not change but some terms are dealt with in more detail at A-level so are more complex.

ble that is kept constant during an experiment
ity between readings, eg a set of 11 equally spaced over a distance of 1
Ild give an interval of 10 centimetres
observations nat is measured as the outcome of ar
experiment  es selected by the investigator and

nk each term on the left to	the correct definition on the right.
True value	The range within which you would expect the true value to lie
Accurate	A measurement that is close to the true value
Resolution	Repeated measurements that are very similar to the calculated mean value
Precise	The value that would be obtained in an ideal measurement where there were no errors of any kind
Uncertainty	The smallest change that can be measured using the measuring instrument that gives a readable change in the reading

nk each term on the left to	the correct definition on the right.
Random error	Causes readings to differ from the true value by a consistent amount each time a measurement is made
Systematic error	When there is an indication that a measuring system gives a false reading when the true value of a measured quantity is zero
Zero error	Causes readings to be spread about the true value, due to results varying in an unpredictable way from one measurement to the next

# Understanding and using SI units

Every measurement has a size (eg 2.7) and a unit (eg metres or kilograms). Sometimes, there are different units available for the same type of measurement. For example, milligram, gram, kilogram and tonne are all units used for mass.

There is a standard system of units, called the SI units, which are used for most scientific purposes.

These units have all been defined by experiment so that the size of, say, a metre in the UK is the same as a metre in China.

There are seven SI base units, which are given in the table.

Physical submittee	(0)111.	Aर्राक्षा (कामाना है। छा।
Mass	kilogram	kg
Length	metre	m
Time	second	S
Electric current	ampere	Α
Temperature	kelvin	К
Amount of substance	mole	mol
luminous intensity	candela	cd

All other units can be derived from the SI base units. For example, area is measured in metres square (written as m²) and speed is measured in metres per second

© 2020 AQA 12 of 28

(written as m  $s^{-1}$ : not that this is a change from GCSE, where it would be written as m/s).

Using prefixes and powers of ten

Very large and very small numbers can be complicated to work with if written out in full with their SI unit. For example, measuring the width of a hair or the distance from Manchester to London in metres (the SI unit for length) would give numbers with a lot of zeros before or after the decimal point, which would be difficult to work with.

So, we use prefixes that multiply or divide the numbers by different powers of ten to give numbers that are easier to work with. You will be familiar with the prefixes milli (meaning 1/1000), centi (1/100), and kilo ( $1 \times 1000$ ) from millimetres, centimetres and kilometres.

There is a wide range of prefixes. Most of the quantities in scientific contexts will be quoted using the prefixes that are multiples of 1000. For example, we would quote a distance of 33 000 m as 33 km.

The most common prefixes you will encounter are given in the table.

Placific	Cymillial	פון ניין (פון (פון פון פון פון פון פון פון פון פון פון	Wrisife patro, atalog a facel (a)	
Tera	Т	10 <sup>12</sup>	1 000 000 000 000	
Giga	G	10 <sup>9</sup>	1 000 000 000	
Mega	М	10 <sup>6</sup>	1 000 000	
kilo	k	10 <sup>3</sup>	1000	
deci	d	10-1	0.1	1/10
centi	С	10-2	0.01	1/100
milli	m	10 <sup>-3</sup>	0.001	1/1000
micro	μ	10 <sup>-6</sup>	0.000 001	1/1 000 000
nano	n	10 <sup>-9</sup>	0.000 000 001	1/1 000 000 000
pico	р	10 <sup>-12</sup>	0.000 000 000 001	1/1 000 000 000 000
femto	f	10 <sup>-15</sup>	0.000 000 000 000 001	1/1 000 000 000 000 000

© 2020 AQA 13 of 78

#### Arbalteria, & 31 unites ainis jamarancas

- 1. What would be the most appropriate unit to use for the following measurements?
  - a. The mass of water in a test tube.
  - b. The volume of water in a burette.
  - c. The time taken for a solution to change colour.
  - d. The radius of a gold atom.
  - e. The number of particles eg atoms in a chemical.
  - f. The temperature of a liquid.
- 2. Re-write the following quantities using the correct SI units.
  - a. 0.5 litres
  - b. 5 minutes
  - c. 20 °C
  - d. 70 °F
  - e. 10 ml (millilitres)
  - f. 5.5 tonnes
  - g. 96.4 microlitres (µI)
- 3. Scientists have been developing the production of a new material through the reaction of two constituents.

Before going to commercial production, the scientists must give their data in the correct SI units.

a. The flow rate of the critical chemical was reported as 240 grams per minute at a temperature of 20 °C.

Re-write this flow rate using the correct SI units. Show your working.

# Aleithitay & Constituting design

# Re-write the following.

- 1. 0.1 metres in millimetres
- 2. 1 centimetre in millimetres
- 3. 104 micrograms in grams
- 4. 1.1202 kilometres in metres
- 5. 70 decilitres in millilitres
- 6. 70 decilitres in litres
- 7. 10 cm<sup>3</sup> in litres
- 8. 2140 pascals in kilopascals

© 2020 AQA


# The delta symbol (Δ)

The delta symbol ( $\Delta$ ) is used to mean 'change in'. You might not have seen this symbol before in your GCSE Chemistry course, although it is used in some equations in GCSE Physics.

Arrificita, & Utaling dine dealine egranisis

In exothermic and endothermic reactions there are energy changes.

The diagram below shows the reaction profile for the reaction between zinc and copper sulfate solution.



- 1. Which letter represents the products of the reaction?
- 2. Which letter represents the activation energy?
- 3. Complete the sentence using the words below.

The reaction is and therefore ΔH is

endothermic

exothermic


negative

positive

#### Practical skills

The practical skills you learnt at GCSE will be further developed through the practicals you undertake at A-level. Your teacher will explain in more detail the requirements for practical work in Chemistry.

There is a practical handbook for Chemistry, which has lots of very useful information to support you in developing these important skills. You can download a copy here:



- 1. Measure 50 cm3 of the copper sulfate solution into the beaker.
- 2. Measure and record the mass of the negative electrode.
- 3. Set up the circuit, setting the power pack at 6V dc.
- 4. Turn on the power supply for the time you have been given, then turn the power pack off.
- 5. Remove and carefully dry the negative electrode.
- 6. Measure and record the mass of the negative electrode.
- 1. Write a hypothesis for this investigation.
- 2. What do you predict will be the result of this investigation?
- 3. For this investigation, give
  - a. the independent variable
  - b. the dependent variable
  - c. a control variable.
- 4. What is the difference between repeatable and reproducible results?

- 5. What would be the most likely resolution of the balance you use in a school lab?
- 6. How could you make the reading more precise?
- 7. Random errors cause readings to be spread about the true value.
  How could you reduce the effect of random errors and make the results more accurate?
- 8. The results the student recorded are given in the table.

Illinia / milnistrae	।।।(धरक्षक्षक्षकः।।।	mess / g		Viterin
2	0.62	0.64	0.45	
4	0.87	0.83	0.86	
6	0.99	1.02	0.97	
8	1.06	1.05	1.08	
10	1.10	1.12	1.10	

Calculate the mean increase in mass for each time measurement.

9.	Plo	t a graph	of your re	sults.			
	1. 308.3.3080					 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	and the second second						en Walking or a constitution of
							WEATER PRESIDENCE
· Nower-re	Was seen as						
						 Control Control Contro	
			The state of the s		Constitution (SE)		
France							

© 2020 AQA

. .


# Using maths skills

Throughout your A-level Chemistry course you will need to be able to use maths skills you have developed in your GCSE Chemistry and GCSE maths courses, such as using standard form, rounding correctly and quoting your answer to an appropriate number of significant figures.

Accidental & Walling morths skills

- 1. Write the following numbers in standard form:
  - a. 4000
  - b. 1000000
- 2. Zinc oxide can be produced as nanoparticles.

A nanoparticle of zinc oxide is a cube of side 82nm.



Calculate the surface area of a nanoparticle of zinc oxide. Give your answer in standard form

- 3. Express the following numbers to 3 significant figures:
  - a. 57 658
  - b. 0.045346
- 4. Toothpaste may contain sodium fluoride (NaF).

The concentration of sodium fluoride can be expressed in parts per million (ppm). 1 ppm represents a concentration of 1 mg in every 1 kg of toothpaste.

A 1.00 g sample of toothpaste was found to contain  $2.88 \times 10^{-5}$  mol of sodium fluoride.

Calculate the concentration of sodium fluoride, in ppm, for the sample of toothpaste.

Give your answer to 3 significant figures.

Use the following information to help you

To convert moles to grams use  $g = moles \times relative$  formula mass Relative formula mass of NaF = 42

Using the periodic table

During your course you will need to become familiar with the periodic table of the elements, and be able to use information from the table to answer questions.

There is a copy of the periodic table that you will be given to use in your exams on the next page.

# The Periodic Table of the Elements

							-		_
0	(18) 4.0 He hellum 2	Ne Ne	39.9 Ar	8.8 8.8 주	36 36	Xenon Xenon	[222] P <b>A</b>	[294] Og	118
7	(17)	19.0 Filluorine	35.5 O.S.5	79.9 Br	35 126.9	- Indina	[210] At astatine	85 [294] Ts tennessine	117
9	(16)	16.0 Oxygen			34 127.6	Te tellurium 52		[283] LV	116
ι	(15)	14.0 N nitrogen	31.0 P phospharus	74.9 As	33	Sb antimony 51	209.0 Bl blsmuth	[289] MC moscovium liva	115
4	(14)	Carbon Garbon		72.6 <b>Ge</b>	118.7	<b>%</b>	207.2 P <b>b</b>		114
က	(23)	10.8 Form	27.0 Al Bluminium					[286] Nh nhonlum	113
	_		20	85.4 Zn zinc	1124	cadmium 48	Hg mercury		
			(11)	63.5 Copper	107.9	allver 47	197.0 Au gold 79	E	
			(10)	58.7 Ni nickel	28 106.4	palladium 48	195.1 Pt platfnum 78	[281] Ds furnstadtum	2
			6)	28.9 cobalt	102.9	rhodlum 45	192.2   <b> r</b>  Ifdlum  77	E	200
	1.0 H hydrogen		(8)		101.1	rutheolum 44	Osmlum 78	[270] Hs hessium	
			8	Mn Mn manganese	187 187	technetlum 43	Re Re rhanlum 75	Bh bohrlum	
	H 839	umber	(9)	5	96.0 Mo	E	W tungsten 74	Sg Sg spaborglum 106	
	Key ive atomic	symbol ααπο atomic (proton) πι	(5)	50.9 V vanadium	92.9 Nb	nieblum 41	Ta tantalum 73	[270] Db dubnlum 105	
	alen	atomi	(4)	47.9 Tittanium	91.2 <b>Q</b>	7	-	[267] Rf ruthorfordium 104	
	_		(3)	Sc scandium	88.9 Y	39 138.9	larthanum 57	[227] Ac † actinium 89	
R	(2)	Beryllium 4	24.3 Mg magnosium 12	Galchum	87.6 Sr.	38 137.3		7256 12266 12666 1	
<del>-</del>	(1)	LI lithium 3	F	S9.1 K pottassium 19	85.5 CH	37 132.9	Cs caeslum 55	Fr Fr franclum 87	

		0000		1, 2	1									
* 58 - 71 Lanthanides		P.S.			Sm.4	152.0 Eu	157.3 Gd	158.9 T	1625	16.9 1.0	167.3	168.9	173.0	175.0
	cerlum 58	prescodymium 59	neodymlum 60	promethlum 61	semarlum 62	europlum 63	gadolinium	terblum	dyspresium	holmlum	erblum	thullum	ytterblum	Lu
		0 100			2000		5	3	8	۵/	99	69	2	7
	7320	0.15	238.0	237	[2 <del>4</del> 4]	[243]	[247]	[247]	[251]	[252]	[257]	12581	[259]	19891
T 90 - 103 Actinides		<b>d</b>		dN	2	Ą	Ę	쑮	5	E.S.	E	Z	2	2021
		protection	_	neptunium	plutonium	americium	Curium	berkelium	californium	einsteinim	Committee	Tondolmin.	2	ו
	O.S.	9	-	93	8	95	96	97	88	8	100	TO TO T	mplegow 400	Tawrencium
											200	5	102	203

# Accidition & Aigorists

- 1. Give the atomic number of:
  - a. Osmium
  - b. Lead
  - c. Sodium
  - d. Chlorine
- 2. Give the relative atomic mass (A<sub>r</sub>) of:
  - a. Helium
  - b. Francium
  - c. Barium
  - d. Oxygen
- 3. What is the number of neutrons in each of the following elements?
  - a. Fluorine
  - b. Beryllium
  - c. Gold

# Acceptable (18) Fromingialiste of donnerson Genericalistics

State the formulae of the following compounds:

- 1. Methane
- 2. Sulfuric acid
- 3. Potassium manganate (VII)
- 4. Water

# ANTIVITY II lorse and lorde compressive

The table below lists the formulae of some common ions.

शिक्षामित्र(६ (कात्रह		Michelatolytic Harata	
Name	Formula	Name	Formula
Aluminium	Al <sup>3+</sup>	Bromide	Br
Ammonium	NH <sub>4</sub> <sup>+</sup>	Carbonate	CO <sub>3</sub> <sup>2</sup> -
Barium	Ba <sup>2+</sup>	Chloride	CI-
Calcium	Ca <sup>2+</sup>	Fluoride	F-
Copper(II)	Cu <sup>2+</sup>	lodide	1-
Hydrogen	H <sup>+</sup>	Hydroxide	OH-
lron(II)	Fe <sup>2+</sup>	Nitrate	NO <sub>3</sub> -
Iron(III)	Fe <sup>3+</sup>	Oxide	O <sub>2</sub> -
Lead	Pb <sup>2+</sup>	Sulfate	SO <sub>4</sub> <sup>2</sup> -
Lithium	Li <sup>+</sup>	Sulfide	S <sup>2-</sup>
Magnesium	Mg <sup>2+</sup>		
Potassium	K <sup>+</sup>		
Silver	Ag⁺		
Sodium	Na⁺		
Zinc	Zn <sup>2+</sup>	7	

Use the table to state the formulae for the following ionic compounds.

- 1. Magnesium bromide
- 2. Barium oxide
- 3. Zinc chloride
- 4. Ammonium chloride
- 5. Ammonium carbonate
- 6. Aluminium bromide
- 7. Calcium nitrate
- 8. Iron (II) sulfate
- 9. Iron (III) sulfate

#### Annual Isolinemia Su villentina

Use the periodic table on page 21 to help you answer these questions.

1. The smell of a pineapple is caused by ethyl butanoate. A sample is known to contain:

0.360 g of carbon

0.060 g of hydrogen

0.160 g of oxygen.

What is the empirical formula of ethyl butyrate?

2. What is the empirical formula of a compound containing:

0.479 g of titanium

0.180 g of carbon

0.730 g of oxygen

3. A 300g sample of a substance is analysed and found to contain only carbon, hydrogen and oxygen.

The sample contains 145.9 g of carbon and 24.32 g of hydrogen.

What is the empirical formula of the compound?

Another 300 g sample is known to contain only carbon, hydrogen and oxygen.
 The percentage of carbon is found to be exactly the same as the percentage of oxygen.

The percentage of hydrogen is known to be 5.99%.

What is the empirical formula of the compound?

#### According 1.3 Inclinating expensions

1. Write balanced symbol equations for the following reactions.

You'll need to use the information on the previous pages to work out the formulae of the compounds.

Remember some of the elements may be diatomic molecules.

- a. Aluminium + oxygen → aluminium oxide
- b. Methane + oxygen → carbon dioxide + water
- c. Calcium carbonate + hydrochloric acid → calcium chloride + water + carbon dioxide
- 2. Chalcopyrite is a sulfide mineral with formula CuFeS2.

Chalcopyrite is the most important copper ore. It is a sulfide mineral, a member of iron (2+) sulfides and a copper sulfide.

Copper can be produced from rock that contains CuFeS<sub>2</sub> in two stages.

Balance the equations for the two stages in this process.

Hint: remember that sometimes fractions have to be used to balance equations.

Stage 1:

 $CuFeS_2 + O2 + SiO_2 \rightarrow Cu_2S + Cu_2O + SO_2 + FeSiO \rightarrow$ 

Stage 2:

Cu<sub>2</sub>S + CuO → Cu + SO2

#### Lindburg by Agintals

The amount of a substance is measured in moles (the SI unit). The mass of one mole of a substance in grams is numerically equal to the relative formula mass of the substance. One mole of a substance contains the same number of the stated particles, atoms or ions as one mole of any other substance. The number of atoms, molecules or ions in a mole of a given substance is the Avogadro constant. The value of the Avogadro constant is

 $6.02 \times 10^{23}$  per mole.

Complete the table. Use the periodic table on page 21 to help you.

Sulasivations	(Mistate of statestication of	Averagement in minories	भित्राक्षीविक वर्षे कृत्रमंत्रीतीव्ह
Helium			18.12 × 10 <sup>23</sup>
Chlorine (CI)	14.2		
Methane		4	
Sulfuric acid	4.905		

# Accidentary III. Incommence arms controllerating materialize afficiency in the second

- 1. What is the relative atomic mass of bromine if the two isotopes <sup>79</sup>Br and <sup>81</sup>Br exist in equal amounts?
- 2. A sample of neon is made up of three isotopes:

<sup>20</sup>Ne accounts for 90.9%

<sup>21</sup>Ne accounts for 0.3%

<sup>22</sup>Ne accounts for 8.8%.

What is the relative atomic mass of neon? Give your answer to 4 significant figures.

3. Copper's isotopes are 63Cu and 65Cu.

If the relative atomic mass of copper is 63.5, what are the relative abundances of these isotopes?

# Extended writing

The ability to write coherently in a logical, well-structured way is an essential skill to develop. At GCSE the 6-mark extended response questions are used so students can demonstrate this skill. At A-level you will still need to write precise answers using the correct scientific language.

The command word in a question, like at GCSE, is important as it gives you an indication of what to include in your answers. For example, 'explain' means you must give reasons why things are happening, not just give a description. A comparison needs advantages and disadvantages or points for and against.

Averagethan this Thypother and Sportfoling

Compare the similarities and differences between ionic, covalent and metallic bonding.